



# The PROFESSIONAL STANDARD



# Combo lasers

## PLS 6R, 6G

### Cross line with 4-point lasers

Plumb, level, and square with one tool. This professional self-leveling combination point and cross line laser level in red and green includes vertical and horizontal modes with lines and points combined.

- In red and green
- Plumb, level, and square with one tool
- Pendulum lock



PLS 6R



PLS 6G

Class II Laser Product

PLS Part #	Description
PLS 6R KIT	<p>Cross line and point red laser kit</p> <p><i>Included:</i> PLS 6R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS RRT4 red reflective target</p>
PLS 6R SYS	<p>Cross line and point red laser system</p> <p><i>Included:</i> PLS 6R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS SLD RED laser line detector, PLS 60520 SLD clamp, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS RRT4 red reflective target</p>
PLS 6G KIT	<p>Cross line and point green laser kit</p> <p><i>Included:</i> PLS 6G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS GRT4 green reflective target</p>

PLS Part #	Description
PLS 6G SYS	Cross line and point green laser system
	<i>Included:</i> PLS 6G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS SLD GREEN laser line detector, PLS SLD clamp, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS GRT4 green reflective target

Specification	
Accuracy	≤ 1/8 in at 30 ft ( ≤ 3 mm @ 10 m )
Self-leveling range	4°
Power supply	BP5 (3xAA)
Operating time	+ 30 hours continuous (red only)
Dimensions	4.6 in x 2.5 in x 4.1 in (116 mm x 64 mm x 104 mm)
Weight	1.3 lbs (0.6 kg)
Drop test	3 ft (1 m)
Water and dust protection	IP54
Warranty	Three year best-in-class warranty

## Compatible accessories

PLS Part #	Description
PLS-60573	Canvas pouch, PLS 180, 3, 5, 6
PLS FS	Floor stand for PLS 3, 5, 6
PLS MLB	Magnetic L-bracket, PLS 3, 5, 6, 180
PLS BP5	BP5 alkaline battery pack
PLS RRT4	Red magnetic reflective target
PLS GRT4	Green magnetic reflective target
PLS C18	Laser level tool box
PLS UB9	Universal ceiling/wall bracket
PLS SLD RED	Red SLD detector
PLS SLD GREEN	Green SLD detector



## Our best-in-class warranty

PLS laser tools are **THE PROFESSIONAL STANDARD** and we stand behind that with our best-in-class warranty program. The PLS warranty covers product workmanship for 3 years. If you experience any issues with your PLS tools during the warranty period, except for obvious misuse or damage, your local dealer can provide a same-day replacement tool, ensuring you don't lose any time on the job.

Please visit the PLS website to process a warranty return directly through Fluke or to learn more about our rotary laser Authorized Service Provider (ASP) program. PLS authorized service providers are capable to provide in-warranty and out-of-warranty calibration and repair on our rotary laser family.

**WWW.PLSLASER.COM**

**Ask your dealer to demonstrate a PLS laser tool.**

**PLS, A Fluke Company**  
**Fluke Corporation**  
**PO Box 9090, Everett, WA 98206 U.S.A.**

©2018 Pacific Laser Systems, a Fluke Company. The PLS5, PLS4, PLS3, PLS180 and PLS FT90 are registered trademarks of PLS (Pacific Laser Systems).

Specifications subject to change without notice.  
11/2018 6010158f-en

